

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/492,300	01/27/2000	Toshitaka Agano	Q55891 9715		
7590 06/02/2005			EXAMINER		
Sughrue Mion Zinn Macpeak & Seas			NGUYEN, JENNIFER T		
2100 Pennsylvania Avenue N W Washington, DC 20037			ART UNIT	PAPER NUMBER	
			2674		

DATE MAILED: 06/02/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary		Applicati	Application No. Applicant(s)					
		09/492,3	00	AGANO, TOSHITAKA				
		Examine	7	Art Unit				
			「. Nguyen	2674				
The MAI Period for Reply	LING DATE of this commun	ication appears on th	e cover sheet with the	correspondence ad	ldress			
THE MAILING I  - Extensions of time after SIX (6) MONT  - If the period for repl - If NO period for rep - Failure to reply with Any reply received	O STATUTORY PERIOD FOR DATE OF THIS COMMUNI may be available under the provisions HS from the mailing date of this commy specified above is less than thirty (3 by is specified above, the maximum stain the set or extended period for reply by the Office later than three months a adjustment. See 37 CFR 1.704(b).	CATION. of 37 CFR 1.136(a). In no expunication. 0) days, a reply within the statutory period will apply and wwill, by statute, cause the app	ent, however, may a reply be ti tutory minimum of thirty (30) da rill expire SIX (6) MONTHS from blication to become ABANDONE	mely filed ys will be considered timel the mailing date of this c ED (35 U.S.C. § 133).	ly. ommunication.			
Status								
1)⊠ Responsi	ve to communication(s) file	d on <u>27 <i>January 200</i></u>	<u>)2</u> .					
		2b)⊠ This action is r						
	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
Disposition of Cla	ims							
4a) Of the 5) ☐ Claim(s) 6) ☑ Claim(s) 7) ☑ Claim(s)	1-29 is/are pending in the a above claim(s) is/a is/are allowed. 1-15,17-22 and 24-29 is/are and 23 is/are objected to are subject to restrict	re withdrawn from co e rejected. o.						
Application Paper	s							
9)☐ The specif	ication is objected to by the	e Examiner.						
10) The drawi	10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.							
	may not request that any objec							
	ent drawing sheet(s) including or declaration is objected to				• •			
Priority under 35 l	-	by the Examiner. IV	ote the attached Office	·	10-132.			
12) Acknowled  a) All b)  1. Cel  2. Cel  3. Col  app	dgment is made of a claim  Some * c) None of:  tified copies of the priority  tified copies of the priority  pies of the certified copies  blication from the Internatio  ached detailed Office actio	documents have been documents have been of the priority document Bureau (PCT Ru	en received. en received in Applicat ents have been receiv le 17.2(a)).	tion No ed in this National	Stage			
Attachment(s)								
1) ⊠ Notice of Referen 2) □ Notice of Draftspe	ces Cited (PTO-892) rson's Patent Drawing Review (P	TO 040)	4) Interview Summary Paper No(s)/Mail D					
	sure Statement(s) (PTO-1449 or		5) Notice of Informal I		O-152)			

Application/Control Number: 09/492,300

Art Unit: 2674

### **DETAILED ACTION**

Page 2

1. This Office Action is responsive to Amendment filed on 10/19/04.

## Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 3. Claim 1 is rejected under 35 U.S.C. 102(e) as being anticipated by Beeteson (Patent No. US 5,796,382).

Regarding claim 1, referring to Fig. 2, Beeteson teaches a display device, having: at least two sets of luminance (50 and 55) including an image maximum luminance for displaying an image (i.e., displaying whole surface of the LCD) and an ordinary maximum luminance for displaying non-image information (i.e., displaying window icon or typing text), said ordinary maximum luminance being lower than said image maximum luminance (col. 1, lines 41-45 and col. 2, lines 40-55).

## Claim Rejections - 35 USC § 103

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

5. Claim 2-7, 10, 12, 13, 18, and 28 are rejected under 35 U.S.C. 103(a) as being unpatentable over Beeteson (Patent No. US 5,796,382) in view of Ito (Patent No. US 6,144,064).

Regarding claims 2-4 and 28, Beeteson differs from claims 2-4 and 28 in that he does not specifically teach a luminance switching unit has a selection unit which makes adjustment to the brightness of the display depending on the image maximum luminance in a case of display of only the image and makes adjustment to the brightness of display depending on said ordinary maximum luminance and the brightness of display depending on said image maximum luminance. However, Ito teaches a luminance switching unit has a selection unit (Fig. 2 of Ito) which makes adjustment to the brightness of the display depending on the image maximum luminance (EL1 and EL3) in a case of display of only the image and makes adjustment to the brightness of display depending on said ordinary maximum luminance (i.e., EL2) and the brightness of display depending on said image maximum luminance (col. 1, lines 50-61 of Ito). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the switching unit as taught y Ito in the system of Beeteson in order to easily control the brightness of display.

Regarding claim 5, the combination of Beeteson and Ito teaches that an entire display screen is adjusted to a brightness of display not higher than said ordinary maximum luminance in accordance with an operation using graphical user interface (col. 1, lines 50-61 of Ito).

Regarding claim 6, the combination of Beeteson and Ito teaches adjustment of a brightness of display in relation to an ordinary maximum luminance and a maximum luminance is performed by adjustment of a light source (col. 1, lines 11-17 of Ito).

Regarding claims 7, Beeteson teaches the non-image information comprises textual information (col. 2, lines 40-55).

Regarding claims 10 and 12, the combination of Beeteson and Ito teaches adjustment of brightness of display in relation to said ordinary maximum luminance and said image maximum luminance is performed by adjustment of light source for display (col. 1, lines 50-61 of Ito).

Regarding claims 13 and 18, the combination of Beeteson and Ito teaches a light source control unit (i.e., inverters 1-3) which controls current through each of the multiple light sources independently to increase brightness in display screen (col. 1, lines 50-61 of Ito).

6. Claim 20, 21 and 27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Beeteson (Patent No. US 5,796,382) in view of Reinhardt (Patent No. US 5,598,565).

Regarding claims 20, 21 and 27, Beeteson differs from claims 20, 21, and 27 in that he does not specifically teach the region of the display screen corresponds to one of the image and the non-image information and the another region of the display screen corresponds to another of the image and non-image information. However, referring to Fig. 3, Reinhardt teaches a region of the display screen corresponds to the image (320) and the another region of the display screen corresponds to another of the image and non-image information (310, 330). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the display screen as taught by Reinhardt in the system of Beeteson in order to display the information to viewer efficiently.

7. Claim 8, 9, 25 and 26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Beeteson (Patent No. US 5,796,382) in view of Ito (Patent No. US 6,144,164) and further in view of Tew et al. (Patent No. US 6,232,963).

Page 5

Regarding claims 8, 9, 25 and 26, the combination of Beeteson and Ito differs from claims 8, 9, 25 and 26 in that it does not specifically teaches the image is displayed at a maximum luminance level for the display represented by n bits and wherein the non-image information is displayed at a maximum level represented by less than n bits or n-3 bits. The combination of Ito and Reinhardt teaches the image is displayed at a maximum luminance level and the non-image information is displayed at a maximum level which is lower than the maximum luminance level of the image. Moreover, Tew teaches greater bit-weights are display with more illumination than bit-planes having smaller bit-weights (abstract). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the bit-weights as taught by Tew in the system of the combination of Beeteson and Ito in order to design a desired brightness level for display.

8. Claim 11 is rejected under 35 U.S.C. 103(a) as being unpatentable over Beeteson (Patent No. US 5,796,382) in view of Ito (Patent No. US 6,144,164) and further in view of Saito et al. (Patent No. US 5,315,695).

Regarding claim 11, the combination of Beeteson and Ito differs from claims 8 and 9 in that it does not specifically teaches adjustment of the light source comprises increasing or decreasing current through the light source. However, Saito teaches the current amount to be supplied to the light source become greater, the light source emits more light so as to raise the luminance of the display (col. 4, lines 32-45). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the adjustment of the light source as taught by Saito in the system of the combination of Beeteson and Ito in order to control the brightness of the display efficiently.

9. Claim 14-15,17 and 29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Beeteson (Patent No. US 5,796,382), Ito (Patent No. US 6,144,164) in view of Reinhardt (Patent No. US 5,598,565) and further in view of Iwamoto et al. (Patent No. US 6,532,474)

Regarding claims 14-15, 17 and 29, the combination of Beeteson, Ito, and Reinhardt teaches adjusting brightness of the display based on the control signal (i.e., input mode is defined as text, the lower luminance is applied) (col. 2, lines 39-53 of Beeteson). The combination of Beeteson, Ito, and Reinhardt differs from claims 14-15,17 and 29 in that it does not specifically teaches display device receiving a control signal supplied externally to distinguish image and non-image information for display. However, referring to Figs. 7 and 10, Iwamoto teaches display device receiving a control portion (8-1) to distinguish image data and text data for display (col. 10, lines 34-42). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the distinguish image and text information for display as taught by Iwamoto in the system of the combination of Beeteson, Ito, and Reinhardt in order to provide enough and appropriate brightness for viewer

10. Claim 19 and 24 are rejected under 35 U.S.C. 103(a) as being unpatentable over Beeteson (Patent No. US 5,796,382) in view of Ito (Patent No. US 6,144,164) and further in view of Hoshi (Patent No. US 6,020,944).

Regarding claims 19 and 24, the combination of Beeteson and Ito differs from claims 19 and 24 in that it does not specifically teach the image maximum luminance is substantially in the range of 400 cd/m2 - 10,000 cd/m2 and the ordinary maximum luminance is substantially in the range of 40 cd/m2 - 400 cd/m2. However, Hoshi teaches high luminance is about several thousands cd/m2 and the lower luminance is substantially in the range of 80–120 cd/m2 (col. 2,

lines 26-30). Therefore, it would have been obvious to obtain the range of the luminance level as taught by Hoshi in the system of the combination of Beeteson and Ito in order to provide enough luminance to view the image accurately.

Claim 22 is rejected under 35 U.S.C. 103(a) as being unpatentable over Beeteson (Patent No. US 5,796,382) in view of Ito (Patent No. US 6,144,164) and further in view of Vara et al. (Patent No. US 6,063,030).

Regarding claim 22, the combination of Beeteson and Ito teaches having a plurality of ordinary maximum luminance levels (Fig. 2 of Ito). The combination of Beeteson and Ito differs from claim 22 in that it does not specifically teach a diagnostic apparatus connected to the display device. However, Vara teaches a diagnostic apparatus connected to the display device (col. 5, lines 34-41). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the diagnostic apparatus as taught by Vara in the system of the combination of Beeteson and Ito in order to perform accurate, bright display image and avoid stress on the viewer's, specially in the medical field.

- 12. Claims 16 and 23 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.
- 13. Applicant's arguments with respect to claims 1-29 have been considered but are moot in view of the new ground(s) of rejection.

Application/Control Number: 09/492,300

Art Unit: 2674

### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jennifer T. Nguyen whose telephone number is 571-272-7696.

The examiner can normally be reached on Mon-Fri: 9:00am-5:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Patrick N. Edouard can be reached on 571-272-7603. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

JNguyen 05/26/05

PRIMARY EXAMINER

Page 8